




ES&C
ENGINEERED SEALS & COMPONENTS, LLC.

ULTRA-PRECISION
WEAR RINGS

861 SERIES
"ICE BLUE"

**.062" ROD STYLE WEAR RING
SIZE RANGE**



SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-014 -0250	PA940-CB	0.875	0.750	0.250	.062/.060
861-014 A	PA940-CB	0.875	0.750	0.375	.062/.060
861-014 B	PA940-CB	0.875	0.750	0.500	.062/.060
861-014 C	PA940-CB	0.875	0.750	0.625	.062/.060
861-014 D	PA940-CB	0.875	0.750	0.750	.062/.060
861-014 E	PA940-CB	0.875	0.750	1.000	.062/.060
861-016 -0250	PA940-CB	1.000	0.875	0.250	.062/.060
861-016 A	PA940-CB	1.000	0.875	0.375	.062/.060
861-016 B	PA940-CB	1.000	0.875	0.500	.062/.060
861-016 C	PA940-CB	1.000	0.875	0.625	.062/.060
861-016 D	PA940-CB	1.000	0.875	0.750	.062/.060
861-016 E	PA940-CB	1.000	0.875	1.000	.062/.060
861-018 -0250	PA940-CB	1.125	1.000	0.250	.062/.060
861-018 A	PA940-CB	1.125	1.000	0.375	.062/.060
861-018 B	PA940-CB	1.125	1.000	0.500	.062/.060
861-018 C	PA940-CB	1.125	1.000	0.625	.062/.060
861-018 D	PA940-CB	1.125	1.000	0.750	.062/.060
861-018 E	PA940-CB	1.125	1.000	1.000	.062/.060
861-020 -0250	PA940-CB	1.250	1.125	0.250	.062/.060
861-020 A	PA940-CB	1.250	1.125	0.375	.062/.060
861-020 B	PA940-CB	1.250	1.125	0.500	.062/.060
861-020 C	PA940-CB	1.250	1.125	0.625	.062/.060
861-020 D	PA940-CB	1.250	1.125	0.750	.062/.060
861-020 E	PA940-CB	1.250	1.125	1.000	.062/.060
861-022 -0250	PA940-CB	1.375	1.250	0.250	.062/.060
861-022 A	PA940-CB	1.375	1.250	0.375	.062/.060
861-022 B	PA940-CB	1.375	1.250	0.500	.062/.060
861-022 C	PA940-CB	1.375	1.250	0.625	.062/.060
861-022 D	PA940-CB	1.375	1.250	0.750	.062/.060
861-022 E	PA940-CB	1.375	1.250	1.000	.062/.060
861-024 -0250	PA940-CB	1.500	1.375	0.250	.062/.060
861-024 A	PA940-CB	1.500	1.375	0.375	.062/.060
861-024 B	PA940-CB	1.500	1.375	0.500	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-024 C	PA940-CB	1.500	1.375	0.625	.062/.060
861-024 D	PA940-CB	1.500	1.375	0.750	.062/.060
861-024 E	PA940-CB	1.500	1.375	1.000	.062/.060
861-026 -0250	PA940-CB	1.625	1.500	0.250	.062/.060
861-026 A	PA940-CB	1.625	1.500	0.375	.062/.060
861-026 B	PA940-CB	1.625	1.500	0.500	.062/.060
861-026 C	PA940-CB	1.625	1.500	0.625	.062/.060
861-026 D	PA940-CB	1.625	1.500	0.750	.062/.060
861-026 E	PA940-CB	1.625	1.500	1.000	.062/.060
861-028 -0250	PA940-CB	1.750	1.625	0.250	.062/.060
861-028 A	PA940-CB	1.750	1.625	0.375	.062/.060
861-028 B	PA940-CB	1.750	1.625	0.500	.062/.060
861-028 C	PA940-CB	1.750	1.625	0.625	.062/.060
861-028 D	PA940-CB	1.750	1.625	0.750	.062/.060
861-028 E	PA940-CB	1.750	1.625	1.000	.062/.060
861-028 I	PA940-CB	1.750	1.625	2.000	.062/.060
861-030 -0250	PA940-CB	1.875	1.750	0.250	.062/.060
861-030 A	PA940-CB	1.875	1.750	0.375	.062/.060
861-030 B	PA940-CB	1.875	1.750	0.500	.062/.060
861-030 C	PA940-CB	1.875	1.750	0.625	.062/.060
861-030 D	PA940-CB	1.875	1.750	0.750	.062/.060
861-030 E	PA940-CB	1.875	1.750	1.000	.062/.060
861-032 -0110	PA940-CB	2.000	1.875	0.110	.062/.060
861-032 -0250	PA940-CB	2.000	1.875	0.250	.062/.060
861-032 A	PA940-CB	2.000	1.875	0.375	.062/.060
861-032 B	PA940-CB	2.000	1.875	0.500	.062/.060
861-032 C	PA940-CB	2.000	1.875	0.625	.062/.060
861-032 D	PA940-CB	2.000	1.875	0.750	.062/.060
861-032 E	PA940-CB	2.000	1.875	1.000	.062/.060
861-034 -0250	PA940-CB	2.125	2.000	0.250	.062/.060
861-034 A	PA940-CB	2.125	2.000	0.375	.062/.060
861-034 B	PA940-CB	2.125	2.000	0.500	.062/.060
861-034 C	PA940-CB	2.125	2.000	0.625	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-034 D	PA940-CB	2.125	2.000	0.750	.062/.060
861-034 E	PA940-CB	2.125	2.000	1.000	.062/.060
861-036 -0250	PA940-CB	2.250	2.125	0.250	.062/.060
861-036 A	PA940-CB	2.250	2.125	0.375	.062/.060
861-036 B	PA940-CB	2.250	2.125	0.500	.062/.060
861-036 C	PA940-CB	2.250	2.125	0.625	.062/.060
861-036 D	PA940-CB	2.250	2.125	0.750	.062/.060
861-036 E	PA940-CB	2.250	2.125	1.000	.062/.060
861-036 F	PA940-CB	2.250	2.125	1.250	.062/.060
861-036 G	PA940-CB	2.250	2.125	1.500	.062/.060
861-036 H	PA940-CB	2.250	2.125	1.750	.062/.060
861-036 I	PA940-CB	2.250	2.125	2.000	.062/.060
861-038 -0250	PA940-CB	2.375	2.250	0.250	.062/.060
861-038 A	PA940-CB	2.375	2.250	0.375	.062/.060
861-038 B	PA940-CB	2.375	2.250	0.500	.062/.060
861-038 C	PA940-CB	2.375	2.250	0.625	.062/.060
861-038 D	PA940-CB	2.375	2.250	0.750	.062/.060
861-038 E	PA940-CB	2.375	2.250	1.000	.062/.060
861-038 F	PA940-CB	2.375	2.250	1.250	.062/.060
861-038 G	PA940-CB	2.375	2.250	1.500	.062/.060
861-038 H	PA940-CB	2.375	2.250	1.750	.062/.060
861-038 I	PA940-CB	2.375	2.250	2.000	.062/.060
861-040 -0250	PA940-CB	2.500	2.375	0.250	.062/.060
861-040 A	PA940-CB	2.500	2.375	0.375	.062/.060
861-040 B	PA940-CB	2.500	2.375	0.500	.062/.060
861-040 C	PA940-CB	2.500	2.375	0.625	.062/.060
861-040 D	PA940-CB	2.500	2.375	0.750	.062/.060
861-040 E	PA940-CB	2.500	2.375	1.000	.062/.060
861-040 F	PA940-CB	2.500	2.375	1.250	.062/.060
861-040 G	PA940-CB	2.500	2.375	1.500	.062/.060
861-040 H	PA940-CB	2.500	2.375	1.750	.062/.060
861-040 I	PA940-CB	2.500	2.375	2.000	.062/.060
861-042 -0250	PA940-CB	2.625	2.500	0.250	.062/.060
861-042 A	PA940-CB	2.625	2.500	0.375	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-042 B	PA940-CB	2.625	2.500	0.500	.062/.060
861-042 C	PA940-CB	2.625	2.500	0.625	.062/.060
861-042 D	PA940-CB	2.625	2.500	0.750	.062/.060
861-042 E	PA940-CB	2.625	2.500	1.000	.062/.060
861-042 F	PA940-CB	2.625	2.500	1.250	.062/.060
861-042 G	PA940-CB	2.625	2.500	1.500	.062/.060
861-042 H	PA940-CB	2.625	2.500	1.750	.062/.060
861-042 I	PA940-CB	2.625	2.500	2.000	.062/.060
861-044 -0250	PA940-CB	2.750	2.625	0.250	.062/.060
861-044 A	PA940-CB	2.750	2.625	0.375	.062/.060
861-044 B	PA940-CB	2.750	2.625	0.500	.062/.060
861-044 C	PA940-CB	2.750	2.625	0.625	.062/.060
861-044 D	PA940-CB	2.750	2.625	0.750	.062/.060
861-044 E	PA940-CB	2.750	2.625	1.000	.062/.060
861-044 F	PA940-CB	2.750	2.625	1.250	.062/.060
861-044 G	PA940-CB	2.750	2.625	1.500	.062/.060
861-044 H	PA940-CB	2.750	2.625	1.750	.062/.060
861-044 I	PA940-CB	2.750	2.625	2.000	.062/.060
861-046 -0250	PA940-CB	2.875	2.750	0.250	.062/.060
861-046 A	PA940-CB	2.875	2.750	0.375	.062/.060
861-046 B	PA940-CB	2.875	2.750	0.500	.062/.060
861-046 C	PA940-CB	2.875	2.750	0.625	.062/.060
861-046 D	PA940-CB	2.875	2.750	0.750	.062/.060
861-046 E	PA940-CB	2.875	2.750	1.000	.062/.060
861-046 F	PA940-CB	2.875	2.750	1.250	.062/.060
861-046 G	PA940-CB	2.875	2.750	1.500	.062/.060
861-046 H	PA940-CB	2.875	2.750	1.750	.062/.060
861-046 I	PA940-CB	2.875	2.750	2.000	.062/.060
861-048 -0250	PA940-CB	3.000	2.875	0.250	.062/.060
861-048 A	PA940-CB	3.000	2.875	0.375	.062/.060
861-048 B	PA940-CB	3.000	2.875	0.500	.062/.060
861-048 C	PA940-CB	3.000	2.875	0.625	.062/.060
861-048 D	PA940-CB	3.000	2.875	0.750	.062/.060
861-048 E	PA940-CB	3.000	2.875	1.000	.062/.060
861-048 F	PA940-CB	3.000	2.875	1.250	.062/.060
861-048 G	PA940-CB	3.000	2.875	1.500	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-048 H	PA940-CB	3.000	2.875	1.750	.062/.060
861-048 I	PA940-CB	3.000	2.875	2.000	.062/.060
861-050 -0250	PA940-CB	3.125	3.000	0.250	.062/.060
861-050 A	PA940-CB	3.125	3.000	0.375	.062/.060
861-050 B	PA940-CB	3.125	3.000	0.500	.062/.060
861-050 C	PA940-CB	3.125	3.000	0.625	.062/.060
861-050 D	PA940-CB	3.125	3.000	0.750	.062/.060
861-050 E	PA940-CB	3.125	3.000	1.000	.062/.060
861-050 F	PA940-CB	3.125	3.000	1.250	.062/.060
861-050 G	PA940-CB	3.125	3.000	1.500	.062/.060
861-050 H	PA940-CB	3.125	3.000	1.750	.062/.060
861-050 I	PA940-CB	3.125	3.000	2.000	.062/.060
861-052 -0250	PA940-CB	3.250	3.125	0.250	.062/.060
861-052 A	PA940-CB	3.250	3.125	0.375	.062/.060
861-052 B	PA940-CB	3.250	3.125	0.500	.062/.060
861-052 C	PA940-CB	3.250	3.125	0.625	.062/.060
861-052 D	PA940-CB	3.250	3.125	0.750	.062/.060
861-052 E	PA940-CB	3.250	3.125	1.000	.062/.060
861-052 F	PA940-CB	3.250	3.125	1.250	.062/.060
861-052 G	PA940-CB	3.250	3.125	1.500	.062/.060
861-052 H	PA940-CB	3.250	3.125	1.750	.062/.060
861-052 I	PA940-CB	3.250	3.125	2.000	.062/.060
861-052 2125	PA940-CB	3.250	3.125	2.125	.062/.060
861-054 -0250	PA940-CB	3.375	3.250	0.250	.062/.060
861-054 A	PA940-CB	3.375	3.250	0.375	.062/.060
861-054 B	PA940-CB	3.375	3.250	0.500	.062/.060
861-054 C	PA940-CB	3.375	3.250	0.625	.062/.060
861-054 D	PA940-CB	3.375	3.250	0.750	.062/.060
861-054 E	PA940-CB	3.375	3.250	1.000	.062/.060
861-054 F	PA940-CB	3.375	3.250	1.250	.062/.060
861-054 G	PA940-CB	3.375	3.250	1.500	.062/.060
861-054 H	PA940-CB	3.375	3.250	1.750	.062/.060
861-054 I	PA940-CB	3.375	3.250	2.000	.062/.060
861-056 -0250	PA940-CB	3.500	3.375	0.250	.062/.060
861-056 A	PA940-CB	3.500	3.375	0.375	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-056 B	PA940-CB	3.500	3.375	0.500	.062/.060
861-056 C	PA940-CB	3.500	3.375	0.625	.062/.060
861-056 D	PA940-CB	3.500	3.375	0.750	.062/.060
861-056 E	PA940-CB	3.500	3.375	1.000	.062/.060
861-056 F	PA940-CB	3.500	3.375	1.250	.062/.060
861-056 G	PA940-CB	3.500	3.375	1.500	.062/.060
861-056 H	PA940-CB	3.500	3.375	1.750	.062/.060
861-056 I	PA940-CB	3.500	3.375	2.000	.062/.060
861-058 -0250	PA940-CB	3.625	3.500	0.250	.062/.060
861-058 A	PA940-CB	3.625	3.500	0.375	.062/.060
861-058 B	PA940-CB	3.625	3.500	0.500	.062/.060
861-058 C	PA940-CB	3.625	3.500	0.625	.062/.060
861-058 D	PA940-CB	3.625	3.500	0.750	.062/.060
861-058 E	PA940-CB	3.625	3.500	1.000	.062/.060
861-058 F	PA940-CB	3.625	3.500	1.250	.062/.060
861-058 G	PA940-CB	3.625	3.500	1.500	.062/.060
861-058 H	PA940-CB	3.625	3.500	1.750	.062/.060
861-058 I	PA940-CB	3.625	3.500	2.000	.062/.060
861-060 -0250	PA940-CB	3.750	3.625	0.250	.062/.060
861-060 A	PA940-CB	3.750	3.625	0.375	.062/.060
861-060 B	PA940-CB	3.750	3.625	0.500	.062/.060
861-060 C	PA940-CB	3.750	3.625	0.625	.062/.060
861-060 D	PA940-CB	3.750	3.625	0.750	.062/.060
861-060 E	PA940-CB	3.750	3.625	1.000	.062/.060
861-060 F	PA940-CB	3.750	3.625	1.250	.062/.060
861-060 G	PA940-CB	3.750	3.625	1.500	.062/.060
861-060 H	PA940-CB	3.750	3.625	1.750	.062/.060
861-060 I	PA940-CB	3.750	3.625	2.000	.062/.060
861-062 -0250	PA940-CB	3.875	3.750	0.250	.062/.060
861-062 A	PA940-CB	3.875	3.750	0.375	.062/.060
861-062 B	PA940-CB	3.875	3.750	0.500	.062/.060
861-062 C	PA940-CB	3.875	3.750	0.625	.062/.060
861-062 D	PA940-CB	3.875	3.750	0.750	.062/.060
861-062 E	PA940-CB	3.875	3.750	1.000	.062/.060
861-062 F	PA940-CB	3.875	3.750	1.250	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-062 G	PA940-CB	3.875	3.750	1.500	.062/.060
861-062 H	PA940-CB	3.875	3.750	1.750	.062/.060
861-062 I	PA940-CB	3.875	3.750	2.000	.062/.060
861-064 -0250	PA940-CB	4.000	3.875	0.250	.062/.060
861-064 A	PA940-CB	4.000	3.875	0.375	.062/.060
861-064 B	PA940-CB	4.000	3.875	0.500	.062/.060
861-064 C	PA940-CB	4.000	3.875	0.625	.062/.060
861-064 D	PA940-CB	4.000	3.875	0.750	.062/.060
861-064 E	PA940-CB	4.000	3.875	1.000	.062/.060
861-064 F	PA940-CB	4.000	3.875	1.250	.062/.060
861-064 G	PA940-CB	4.000	3.875	1.500	.062/.060
861-064 H	PA940-CB	4.000	3.875	1.750	.062/.060
861-064 I	PA940-CB	4.000	3.875	2.000	.062/.060
861-066 -0250	PA940-CB	4.125	4.000	0.250	.062/.060
861-066 A	PA940-CB	4.125	4.000	0.375	.062/.060
861-066 B	PA940-CB	4.125	4.000	0.500	.062/.060
861-066 C	PA940-CB	4.125	4.000	0.625	.062/.060
861-066 D	PA940-CB	4.125	4.000	0.750	.062/.060
861-066 E	PA940-CB	4.125	4.000	1.000	.062/.060
861-066 F	PA940-CB	4.125	4.000	1.250	.062/.060
861-066 G	PA940-CB	4.125	4.000	1.500	.062/.060
861-066 H	PA940-CB	4.125	4.000	1.750	.062/.060
861-066 I	PA940-CB	4.125	4.000	2.000	.062/.060
861-068 -0250	PA940-CB	4.250	4.125	0.250	.062/.060
861-068 A	PA940-CB	4.250	4.125	0.375	.062/.060
861-068 B	PA940-CB	4.250	4.125	0.500	.062/.060
861-068 C	PA940-CB	4.250	4.125	0.625	.062/.060
861-068 D	PA940-CB	4.250	4.125	0.750	.062/.060
861-068 E	PA940-CB	4.250	4.125	1.000	.062/.060
861-068 F	PA940-CB	4.250	4.125	1.250	.062/.060
861-068 G	PA940-CB	4.250	4.125	1.500	.062/.060
861-068 H	PA940-CB	4.250	4.125	1.750	.062/.060
861-068 I	PA940-CB	4.250	4.125	2.000	.062/.060
861-072 -0250	PA940-CB	4.500	4.375	0.250	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-072 A	PA940-CB	4.500	4.375	0.375	.062/.060
861-072 B	PA940-CB	4.500	4.375	0.500	.062/.060
861-072 C	PA940-CB	4.500	4.375	0.625	.062/.060
861-072 D	PA940-CB	4.500	4.375	0.750	.062/.060
861-072 E	PA940-CB	4.500	4.375	1.000	.062/.060
861-072 F	PA940-CB	4.500	4.375	1.250	.062/.060
861-072 G	PA940-CB	4.500	4.375	1.500	.062/.060
861-072 H	PA940-CB	4.500	4.375	1.750	.062/.060
861-072 I	PA940-CB	4.500	4.375	2.000	.062/.060
861-076 -0250	PA940-CB	4.750	4.625	0.250	.062/.060
861-076 A	PA940-CB	4.750	4.625	0.375	.062/.060
861-076 B	PA940-CB	4.750	4.625	0.500	.062/.060
861-076 C	PA940-CB	4.750	4.625	0.625	.062/.060
861-076 D	PA940-CB	4.750	4.625	0.750	.062/.060
861-076 E	PA940-CB	4.750	4.625	1.000	.062/.060
861-076 F	PA940-CB	4.750	4.625	1.250	.062/.060
861-076 G	PA940-CB	4.750	4.625	1.500	.062/.060
861-076 H	PA940-CB	4.750	4.625	1.750	.062/.060
861-076 I	PA940-CB	4.750	4.625	2.000	.062/.060
861-078 -0250	PA940-CB	4.875	4.750	0.250	.062/.060
861-078 A	PA940-CB	4.875	4.750	0.375	.062/.060
861-078 B	PA940-CB	4.875	4.750	0.500	.062/.060
861-078 C	PA940-CB	4.875	4.750	0.625	.062/.060
861-078 D	PA940-CB	4.875	4.750	0.750	.062/.060
861-078 E	PA940-CB	4.875	4.750	1.000	.062/.060
861-078 F	PA940-CB	4.875	4.750	1.250	.062/.060
861-078 G	PA940-CB	4.875	4.750	1.500	.062/.060
861-078 H	PA940-CB	4.875	4.750	1.750	.062/.060
861-078 I	PA940-CB	4.875	4.750	2.000	.062/.060
861-080 -0250	PA940-CB	5.000	4.875	0.250	.062/.060
861-080 A	PA940-CB	5.000	4.875	0.375	.062/.060
861-080 B	PA940-CB	5.000	4.875	0.500	.062/.060
861-080 C	PA940-CB	5.000	4.875	0.625	.062/.060
861-080 D	PA940-CB	5.000	4.875	0.750	.062/.060
861-080 E	PA940-CB	5.000	4.875	1.000	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-080 F	PA940-CB	5.000	4.875	1.250	.062/.060
861-080 G	PA940-CB	5.000	4.875	1.500	.062/.060
861-080 H	PA940-CB	5.000	4.875	1.750	.062/.060
861-080 I	PA940-CB	5.000	4.875	2.000	.062/.060
861-084 -0250	PA940-CB	5.250	5.125	0.250	.062/.060
861-084 A	PA940-CB	5.250	5.125	0.375	.062/.060
861-084 B	PA940-CB	5.250	5.125	0.500	.062/.060
861-084 C	PA940-CB	5.250	5.125	0.625	.062/.060
861-084 D	PA940-CB	5.250	5.125	0.750	.062/.060
861-084 E	PA940-CB	5.250	5.125	1.000	.062/.060
861-084 F	PA940-CB	5.250	5.125	1.250	.062/.060
861-084 G	PA940-CB	5.250	5.125	1.500	.062/.060
861-084 H	PA940-CB	5.250	5.125	1.750	.062/.060
861-084 I	PA940-CB	5.250	5.125	2.000	.062/.060
861-088 -0250	PA940-CB	5.500	5.375	0.250	.062/.060
861-088 A	PA940-CB	5.500	5.375	0.375	.062/.060
861-088 B	PA940-CB	5.500	5.375	0.500	.062/.060
861-088 C	PA940-CB	5.500	5.375	0.625	.062/.060
861-088 D	PA940-CB	5.500	5.375	0.750	.062/.060
861-088 E	PA940-CB	5.500	5.375	1.000	.062/.060
861-088 F	PA940-CB	5.500	5.375	1.250	.062/.060
861-088 G	PA940-CB	5.500	5.375	1.500	.062/.060
861-088 H	PA940-CB	5.500	5.375	1.750	.062/.060
861-088 I	PA940-CB	5.500	5.375	2.000	.062/.060
861-090 -0250	PA940-CB	5.625	5.500	0.250	.062/.060
861-090 A	PA940-CB	5.625	5.500	0.375	.062/.060
861-090 B	PA940-CB	5.625	5.500	0.500	.062/.060
861-090 C	PA940-CB	5.625	5.500	0.625	.062/.060
861-090 D	PA940-CB	5.625	5.500	0.750	.062/.060
861-090 E	PA940-CB	5.625	5.500	1.000	.062/.060
861-090 F	PA940-CB	5.625	5.500	1.250	.062/.060
861-090 G	PA940-CB	5.625	5.500	1.500	.062/.060
861-090 H	PA940-CB	5.625	5.500	1.750	.062/.060
861-090 I	PA940-CB	5.625	5.500	2.000	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-092 -0250	PA940-CB	5.750	5.625	0.250	.062/.060
861-092 A	PA940-CB	5.750	5.625	0.375	.062/.060
861-092 B	PA940-CB	5.750	5.625	0.500	.062/.060
861-092 C	PA940-CB	5.750	5.625	0.625	.062/.060
861-092 D	PA940-CB	5.750	5.625	0.750	.062/.060
861-092 E	PA940-CB	5.750	5.625	1.000	.062/.060
861-092 F	PA940-CB	5.750	5.625	1.250	.062/.060
861-092 G	PA940-CB	5.750	5.625	1.500	.062/.060
861-092 H	PA940-CB	5.750	5.625	1.750	.062/.060
861-092 I	PA940-CB	5.750	5.625	2.000	.062/.060
861-096 -0250	PA940-CB	6.000	5.875	0.250	.062/.060
861-096 A	PA940-CB	6.000	5.875	0.375	.062/.060
861-096 B	PA940-CB	6.000	5.875	0.500	.062/.060
861-096 C	PA940-CB	6.000	5.875	0.625	.062/.060
861-096 D	PA940-CB	6.000	5.875	0.750	.062/.060
861-096 E	PA940-CB	6.000	5.875	1.000	.062/.060
861-096 F	PA940-CB	6.000	5.875	1.250	.062/.060
861-096 G	PA940-CB	6.000	5.875	1.500	.062/.060
861-096 H	PA940-CB	6.000	5.875	1.750	.062/.060
861-096 I	PA940-CB	6.000	5.875	2.000	.062/.060
861-100 -0250	PA940-CB	6.250	6.125	0.250	.062/.060
861-100 A	PA940-CB	6.250	6.125	0.375	.062/.060
861-100 B	PA940-CB	6.250	6.125	0.500	.062/.060
861-100 C	PA940-CB	6.250	6.125	0.625	.062/.060
861-100 D	PA940-CB	6.250	6.125	0.750	.062/.060
861-100 E	PA940-CB	6.250	6.125	1.000	.062/.060
861-100 F	PA940-CB	6.250	6.125	1.250	.062/.060
861-100 G	PA940-CB	6.250	6.125	1.500	.062/.060
861-100 H	PA940-CB	6.250	6.125	1.750	.062/.060
861-100 I	PA940-CB	6.250	6.125	2.000	.062/.060
861-102 -0250	PA940-CB	6.375	6.250	0.250	.062/.060
861-102 A	PA940-CB	6.375	6.250	0.375	.062/.060
861-102 B	PA940-CB	6.375	6.250	0.500	.062/.060
861-102 C	PA940-CB	6.375	6.250	0.625	.062/.060
861-102 D	PA940-CB	6.375	6.250	0.750	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-102 E	PA940-CB	6.375	6.250	1.000	.062/.060
861-102 F	PA940-CB	6.375	6.250	1.250	.062/.060
861-102 G	PA940-CB	6.375	6.250	1.500	.062/.060
861-102 H	PA940-CB	6.375	6.250	1.750	.062/.060
861-102 I	PA940-CB	6.375	6.250	2.000	.062/.060
861-104 -0250	PA940-CB	6.500	6.375	0.250	.062/.060
861-104 A	PA940-CB	6.500	6.375	0.375	.062/.060
861-104 B	PA940-CB	6.500	6.375	0.500	.062/.060
861-104 C	PA940-CB	6.500	6.375	0.625	.062/.060
861-104 D	PA940-CB	6.500	6.375	0.750	.062/.060
861-104 E	PA940-CB	6.500	6.375	1.000	.062/.060
861-104 F	PA940-CB	6.500	6.375	1.250	.062/.060
861-104 G	PA940-CB	6.500	6.375	1.500	.062/.060
861-104 H	PA940-CB	6.500	6.375	1.750	.062/.060
861-104 I	PA940-CB	6.500	6.375	2.000	.062/.060
861-108 -0250	PA940-CB	6.750	6.625	0.250	.062/.060
861-108 A	PA940-CB	6.750	6.625	0.375	.062/.060
861-108 B	PA940-CB	6.750	6.625	0.500	.062/.060
861-108 C	PA940-CB	6.750	6.625	0.625	.062/.060
861-108 D	PA940-CB	6.750	6.625	0.750	.062/.060
861-108 E	PA940-CB	6.750	6.625	1.000	.062/.060
861-108 F	PA940-CB	6.750	6.625	1.250	.062/.060
861-108 G	PA940-CB	6.750	6.625	1.500	.062/.060
861-108 H	PA940-CB	6.750	6.625	1.750	.062/.060
861-108 I	PA940-CB	6.750	6.625	2.000	.062/.060
861-112 -0250	PA940-CB	7.000	6.875	0.250	.062/.060
861-112 A	PA940-CB	7.000	6.875	0.375	.062/.060
861-112 B	PA940-CB	7.000	6.875	0.500	.062/.060
861-112 C	PA940-CB	7.000	6.875	0.625	.062/.060
861-112 D	PA940-CB	7.000	6.875	0.750	.062/.060
861-112 E	PA940-CB	7.000	6.875	1.000	.062/.060
861-112 F	PA940-CB	7.000	6.875	1.250	.062/.060
861-112 G	PA940-CB	7.000	6.875	1.500	.062/.060
861-112 H	PA940-CB	7.000	6.875	1.750	.062/.060
861-112 I	PA940-CB	7.000	6.875	2.000	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-114 -0250	PA940-CB	7.125	7.000	0.250	.062/.060
861-114 A	PA940-CB	7.125	7.000	0.375	.062/.060
861-114 B	PA940-CB	7.125	7.000	0.500	.062/.060
861-114 C	PA940-CB	7.125	7.000	0.625	.062/.060
861-114 D	PA940-CB	7.125	7.000	0.750	.062/.060
861-114 E	PA940-CB	7.125	7.000	1.000	.062/.060
861-114 F	PA940-CB	7.125	7.000	1.250	.062/.060
861-114 G	PA940-CB	7.125	7.000	1.500	.062/.060
861-114 H	PA940-CB	7.125	7.000	1.750	.062/.060
861-114 I	PA940-CB	7.125	7.000	2.000	.062/.060
861-116 -0250	PA940-CB	7.250	7.125	0.250	.062/.060
861-116 A	PA940-CB	7.250	7.125	0.375	.062/.060
861-116 B	PA940-CB	7.250	7.125	0.500	.062/.060
861-116 C	PA940-CB	7.250	7.125	0.625	.062/.060
861-116 D	PA940-CB	7.250	7.125	0.750	.062/.060
861-116 E	PA940-CB	7.250	7.125	1.000	.062/.060
861-116 F	PA940-CB	7.250	7.125	1.250	.062/.060
861-116 G	PA940-CB	7.250	7.125	1.500	.062/.060
861-116 H	PA940-CB	7.250	7.125	1.750	.062/.060
861-116 I	PA940-CB	7.250	7.125	2.000	.062/.060
861-120 -0250	PA940-CB	7.500	7.375	0.250	.062/.060
861-120 -0312	PA940-CB	7.500	7.375	0.313	.062/.060
861-120 A	PA940-CB	7.500	7.375	0.375	.062/.060
861-120 B	PA940-CB	7.500	7.375	0.500	.062/.060
861-120 C	PA940-CB	7.500	7.375	0.625	.062/.060
861-120 D	PA940-CB	7.500	7.375	0.750	.062/.060
861-120 E	PA940-CB	7.500	7.375	1.000	.062/.060
861-120 F	PA940-CB	7.500	7.375	1.250	.062/.060
861-120 G	PA940-CB	7.500	7.375	1.500	.062/.060
861-120 H	PA940-CB	7.500	7.375	1.750	.062/.060
861-120 I	PA940-CB	7.500	7.375	2.000	.062/.060
861-124 -0250	PA940-CB	7.750	7.625	0.250	.062/.060
861-124 A	PA940-CB	7.750	7.625	0.375	.062/.060
861-124 B	PA940-CB	7.750	7.625	0.500	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-124 C	PA940-CB	7.750	7.625	0.625	.062/.060
861-124 D	PA940-CB	7.750	7.625	0.750	.062/.060
861-124 E	PA940-CB	7.750	7.625	1.000	.062/.060
861-124 F	PA940-CB	7.750	7.625	1.250	.062/.060
861-124 G	PA940-CB	7.750	7.625	1.500	.062/.060
861-124 H	PA940-CB	7.750	7.625	1.750	.062/.060
861-124 I	PA940-CB	7.750	7.625	2.000	.062/.060
861-128 -0250	PA940-CB	8.000	7.875	0.250	.062/.060
861-128 A	PA940-CB	8.000	7.875	0.375	.062/.060
861-128 B	PA940-CB	8.000	7.875	0.500	.062/.060
861-128 C	PA940-CB	8.000	7.875	0.625	.062/.060
861-128 D	PA940-CB	8.000	7.875	0.750	.062/.060
861-128 E	PA940-CB	8.000	7.875	1.000	.062/.060
861-128 F	PA940-CB	8.000	7.875	1.250	.062/.060
861-128 G	PA940-CB	8.000	7.875	1.500	.062/.060
861-128 H	PA940-CB	8.000	7.875	1.750	.062/.060
861-128 I	PA940-CB	8.000	7.875	2.000	.062/.060
861-132 -0250	PA940-CB	8.250	8.125	0.250	.062/.060
861-132 -0312	PA940-CB	8.250	8.125	0.313	.062/.060
861-132 A	PA940-CB	8.250	8.125	0.375	.062/.060
861-132 B	PA940-CB	8.250	8.125	0.500	.062/.060
861-132 C	PA940-CB	8.250	8.125	0.625	.062/.060
861-132 D	PA940-CB	8.250	8.125	0.750	.062/.060
861-132 E	PA940-CB	8.250	8.125	1.000	.062/.060
861-132 F	PA940-CB	8.250	8.125	1.250	.062/.060
861-132 G	PA940-CB	8.250	8.125	1.500	.062/.060
861-132 H	PA940-CB	8.250	8.125	1.750	.062/.060
861-132 I	PA940-CB	8.250	8.125	2.000	.062/.060
861-136 -0250	PA940-CB	8.500	8.375	0.250	.062/.060
861-136 -0312	PA940-CB	8.500	8.375	0.313	.062/.060
861-136 A	PA940-CB	8.500	8.375	0.375	.062/.060
861-136 B	PA940-CB	8.500	8.375	0.500	.062/.060
861-136 C	PA940-CB	8.500	8.375	0.625	.062/.060
861-136 D	PA940-CB	8.500	8.375	0.750	.062/.060
861-136 E	PA940-CB	8.500	8.375	1.000	.062/.060

SERIES-861 1/16" - C/S ROD STYLE WEAR RING SIZES

PART NUMBER -BC for butt cut -SC for scarf cut	COMPOUND	O.D.	I.D.	WIDTH	C/S
861-136 F	PA940-CB	8.500	8.375	1.250	.062/.060
861-136 G	PA940-CB	8.500	8.375	1.500	.062/.060
861-136 H	PA940-CB	8.500	8.375	1.750	.062/.060
861-136 I	PA940-CB	8.500	8.375	2.000	.062/.060
861-140 -0250	PA940-CB	8.750	8.625	0.250	.062/.060
861-140 A	PA940-CB	8.750	8.625	0.375	.062/.060
861-140 B	PA940-CB	8.750	8.625	0.500	.062/.060
861-140 C	PA940-CB	8.750	8.625	0.625	.062/.060
861-140 D	PA940-CB	8.750	8.625	0.750	.062/.060
861-140 E	PA940-CB	8.750	8.625	1.000	.062/.060
861-140 F	PA940-CB	8.750	8.625	1.250	.062/.060
861-140 G	PA940-CB	8.750	8.625	1.500	.062/.060
861-140 H	PA940-CB	8.750	8.625	1.750	.062/.060
861-140 I	PA940-CB	8.750	8.625	2.000	.062/.060
861-144 -0250	PA940-CB	9.000	8.875	0.250	.062/.060
861-144 A	PA940-CB	9.000	8.875	0.375	.062/.060
861-144 B	PA940-CB	9.000	8.875	0.500	.062/.060
861-144 C	PA940-CB	9.000	8.875	0.625	.062/.060
861-144 D	PA940-CB	9.000	8.875	0.750	.062/.060
861-144 E	PA940-CB	9.000	8.875	1.000	.062/.060
861-144 F	PA940-CB	9.000	8.875	1.250	.062/.060
861-144 G	PA940-CB	9.000	8.875	1.500	.062/.060
861-144 H	PA940-CB	9.000	8.875	1.750	.062/.060
861-144 I	PA940-CB	9.000	8.875	2.000	.062/.060

FOR SIZES NOT LISTED CONTACT

sales@engseals.com

or 712-580-3990



ES&C

ENGINEERED SEALS & COMPONENTS, LLC.

ENGINEERED SEALS & COMPONENTS
“Let’s Make it Happen”

www.engseals.com • 712-580-3990